

**To:** Wagner, Christine[Wagner.Christine@epa.gov]; [Nonresponsive based on revised scope] [@tetrattech.com]  
**From:** [Nonresponsive based on revised scope] [@tetrattech.com]  
**Sent:** Fri 3/19/2021 12:47:52 PM (UTC)  
**Subject:** bucket inventory  
Bucket Log\_2021\_03\_17.xlsx

Hi [Nonresponsive based on revised scope]

Here's the updated bucket inventory. The second column can be used to filter what is present/shipped off. I also noted west vs north wall of the conex box.

Call me any time. Mobile is [Nonresponsive based on revised scope]

Have a great weekend.  
Rob

[Nonresponsive based on revised scope] **PE, CHP | Chemical Engineer**  
415 Oak Street |Kansas City, Missouri 64106 | [www.tetrattech.com](http://www.tetrattech.com)  
Direct: 816.412.1775 | Main: 816.412.1741 | Fax: 816.410.1748

Tetra Tech | **Complex World, Clear Solutions™**

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information.  
Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful.  
If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.